



Ordnance Survey

# OS Open Greenspace

Product guide

# OS Open Greenspace

## Product Guide

### Contents

Section	Page no
<b>Preface</b>	<b>2</b>
Contact details.....	2
Use of the product.....	2
Purpose and disclaimer.....	2
Copyright in this guide.....	2
Data copyright and other intellectual property rights.....	3
Trademarks.....	3
Back-up provision of the product.....	3
Using this guide.....	3
<b>Chapter 1 Introduction</b> .....	<b>4</b>
Product Guide.....	4
Product Overview.....	4
Key features.....	4
Applications.....	4
Complementary datasets.....	4
Reference System.....	5
<b>Chapter 2 OS Open Greenspace</b> .....	<b>6</b>
Feature Types.....	6
Generalisation.....	6
Attributes.....	7
Greenspace Sites.....	7
Access Points.....	7
Distinctive Name attribution.....	7
Nested Sites.....	7
<b>Chapter 3 Function and Access Types</b> .....	<b>9</b>
Function.....	9
Notes for specific Functions.....	9
Access Type.....	9
<b>Chapter 4 Data Creation</b> .....	<b>10</b>
Geometry.....	10
Greenspace Sites.....	10
Access Points.....	10
Attributes.....	10
Data completeness.....	10
Selection of Greenspace Sites.....	10
<b>Chapter 5 Product Supply</b> .....	<b>11</b>
Available Formats.....	11
Coverage.....	11
Update Cycle.....	11
Supply Mechanism.....	11

## Preface

This product guide (hereafter referred to as the guide) is designed to provide an overview of OS Open Greenspace (hereafter referred to as the product) and it gives guidelines and advice on how a customer might derive the maximum benefit from the product. It assumed a general knowledge of geographic information. If you find an error or omission in this guide or otherwise wish to make a comment or suggestion on how we can improve the guide, please contact us at the address shown below under contact details or complete the product and service performance report form in the annexe.

## Contact details

Our Customer Service Centre will be pleased to deal with your enquiries:

Customer Service Centre  
Ordnance Survey  
Adanac Drive  
SOUTHAMPTON  
SO16 0AS

General enquiries (calls charged at local rate): +44 (0)3456 05 05 05

Dedicated Welsh Language HelpLine: 03456 05 05 04

Textphone (deaf and hard of hearing users only please): +44 (0)2380 05 6146

[customerservices@os.uk](mailto:customerservices@os.uk)

[www.os.uk](http://www.os.uk)

This document has been screened in accordance with the requirements set out in Ordnance Survey's Equality Scheme. If you have difficulty reading this information in its current format and would like to find out how to access it in a different format (Braille, large print, computer disk or in another language), please contact us on: +44 (0)34565 05 05 05.

## Use of the product

The product is made available to you and your organisation on the terms of the Open Government Licence at [www.os.uk/opendata/licence](http://www.os.uk/opendata/licence).

If there is any inconsistency between the terms of the licence and this guide, the terms of the licence prevail.

## Purpose and disclaimer

This guide is provided for guidance only and does not constitute any warranty, representation, undertaking, commitment or obligation (express or implied) about the product or its suitability for any particular purpose. It is your responsibility to ensure that this product is suitable for your intended purpose.

Ordnance Survey does not accept any liability (whether for breach of contract, negligence or otherwise) for any loss or liability you or any third party may suffer in relying on this guide and any guidance, suggestion, advice or explanation provided in it. Ordnance Survey's liability to you in relation to the product is limited as set out in the Open Government Licence.

We may change the information in this guide at any time without notice

We do not accept responsibility for the content of any third party websites referenced or accessed in or through this specification, any other contractual documentation, and/or the Ordnance Survey website.

## Copyright in this guide

This guide, (including for the avoidance of doubt any mapping images reproduced herein), is Crown copyright 2017.

You may copy or distribute any part of this guide to support the use of OS OpenData, including for your personal use, use in your organisation or business, or for use with, or incorporation in, your product or application

## **Data copyright and other intellectual property rights**

The Crown (or, where applicable, Ordnance Survey's suppliers) owns the intellectual property rights in the data contained in this product. You are free to use the product on the terms of the Open Government Licence, but must acknowledge the source of the data by including the following attribution statement: *Contains Ordnance Survey data © Crown copyright and database right 2017. Additional data sourced from third parties, including public sector information licensed under the Open Government Licence v1.0*

## **Trademarks**

Ordnance Survey, the OS symbol, OS MasterMap OS VectorMap, OS Terrain and TOID are registered trademarks and OS logos are trademarks of Ordnance Survey, Britain's mapping agency.

Adobe and Reader are registered trademarks of Adobe Systems Incorporated.

## **Back-up provision of the product**

You are advised to copy the supplied data to a backup medium.

## **Using this guide**

The documentation is supplied in portable document format (PDF) only. Free Adobe® Reader® software, which displays the specification, incorporates search and zoom facilities and allows you to navigate within. Hyperlinks are used to navigate between associated parts of the specification and to relevant Internet resources by clicking on the blue hyperlinks and the table of contents.

# Chapter 1 Introduction

## Product Guide

This guide contains an overview of the OS Open Greenspace product and basic information needed to understand, use and manage the product. For more detailed technical information and data format specification, please see the [technical specification](#).

## Product Overview

OS Open Greenspace depicts the location and extent of spaces such as parks and sports facilities that are likely to be accessible to the public. Where appropriate, it also includes access points to show how people get into these sites. Its primary purpose is to enable members of the public to find and access green spaces near them for exercise and recreation.

As an open data product, this will become part of OS open data portfolio, which currently consists of a range of datasets such as OS Vector Map<sup>®</sup> District, OS Open Map - Local, OS Terrain<sup>®</sup> 50 and OS Open Roads. For more information on the open data portfolio see the [OS website](#).

OS Open Greenspace is a generalised product which has been automatically simplified from Ordnance Survey large scale data. Generalisation is the process of reducing the scale and complexity of the data whilst maintaining the important elements and characteristics of the features.

## Key features

The key features of Greenspace Open are:

- Comprehensive coverage of publicly accessible green spaces
- Polygons of the greenspace extents
- Access points to depict place and type of access to the site
- Four attributes for site name to allow multiple official and/or local names to be available in the product
- Freely available online as an Open Data download and as a layer in the OS Maps consumer web service

## Applications

Greenspace Open supports a wide range of customer applications that use geographical information. The product can be used alone or combined with other Ordnance Survey products, such as Open Map - Local, Open Roads or other Open Data products.

Applications of the Open Greenspace product include, but are by no means limited to:

- Encouraging activity for all
- Allowing local residents to find new greenspaces local to them
- Encouraging discovery and use of new greenspaces
- Promoting health and wellbeing
- Analysing use of amenities
- Mapping routes to access nearest greenspaces
- Managing and planning green spaces effectively

## Complementary datasets

Greenspace is a topic which has seen a rise in interest and opinion over the last few years. As such, there are many other datasets available on the topic. These datasets can be used in conjunction with OS Open Greenspace to increase the potential applications, answer a wider range of questions and further promote activity and wellbeing. There are many sources of these datasets, we have included a few links below to get you started but there are many other data sources available.

- <http://www.magic.gov.uk/home.htm>
- <https://data.gov.uk/>
- <http://environment.data.gov.uk/index.html>

## Reference System

Open Greenspace uses the British National Grid (BNG) spatial reference system. BNG uses the OSGB36 geodetic datum and a single Transverse Mercator projection for the whole of Great Britain. Positions on this projection are described using easting and northing coordinates in units of metres.

A guide to coordinate systems in Great Britain is available at:

<http://www.ordnancesurvey.co.uk/docs/support/guide-coordinate-systems-great-britain.pdf>

A general introductory guide to BNG is provided at:

<http://www.ordnancesurvey.co.uk/resources/maps-and-geographic-resources/the-national-grid.html>


## Chapter 2 OS Open Greenspace

### Feature Types

Open Greenspace comprises two feature types. Each feature type has associated attribution. Further detail can be found in [Chapter 3](#).

The following section gives a description of each feature type:

- **GreenspaceSite**  
A polygon defining the extent of green spaces such as parks and sports facilities that are likely to be open for use by members of the public. These extents are generalised.
- **AccessPoint**  
A point feature denoting where access to a site is located, and what kind of access is permitted at that location.



*Greenspace Open data showing polygons and access points over OS Open Map - Local*

### Generalisation

The detail within Open Greenspace has been automatically generalised from Ordnance Survey large scale data. Generalisation is the process of reducing the scale and complexity of the data whilst retaining the important elements and characteristics.

OS Open Greenspace generalisation applies in the following ways:

- **GreenspaceSite**

All greenspace sites have been generalised to achieve consistency through the product. No sites have been removed during this process.

- **AccessPoint**

Access points are not moved by the generalisation process and will remain in their actual location, allowing them to be used appropriately with large scale data when required.

## Attributes

### Greenspace Sites

#### ID

The unique identifier of the site. The ID is generated each release and will change between versions of the product.

#### Function

The function of the greenspace site. Functions are determined from a specific greenspace list, and only those sites which fall within this list have been included in this product. The functions included in the product can be found in the [next chapter](#).

#### Distinctive Name

The name of the site. There is space within the product for up to four Distinctive Name attributes to be populated, if a site is known locally by more than one name. These will only be populated where relevant and will be populated in numerical order.

### Access Points

#### ID

The unique identifier of the access point.

#### Access Type

The type of access which is permitted at the particular point. The nature of access will fall into one of the categories listed in the next chapter.

#### Reference to Greenspace Site

The unique identifier of the greenspace site to which the access point relates.

### Distinctive Name attribution

Where a site is known locally by more than one name, the product has been formatted to allow this to be populated in successive name attributes. For many greenspaces, this will rely on information from local experts, who have been encouraged to populate the information to Ordnance Survey where relevant. These names are expected to be useful in gathering more information about a site, such as its opening times or ownership information.

Names will be populated in the product where they can be sourced from relevant existing data holdings during product creation. As a result, a limited number of records will contain distinctive name attribution in the first release. The population of this attribute will improve over time.

### Nested Sites

Where more than one function can be identified within a greenspace, nesting is used. This means that where sites overlap, or where a whole site is contained within a larger site, they are published as separate polygons that overlap one another. For example, in the picture below the whole park is captured as one site, including the play areas. The play areas also have their own greenspace site captured separately and these sites overlap the park.



*An example of site nesting where playgrounds exist within a park*

Where nested sites are of the same function attribute, these sites will not be shown as separate but will be merged into a single site, to avoid duplicating the greenspace function on these sites.

## Chapter 3 Function and Access Types

This chapter contains more detail about the attributes within Open Greenspace where the attributes come from a defined list.

### Function

The Functions within Open Greenspace represent the purpose of the Greenspace site, that is what the Greenspace site is used for.

Open Greenspace includes the following functions;

- Allotments Or Community Growing Spaces
- Bowling Green
- Cemetery
- Religious Grounds
- Golf Course
- Other Sports Facility
- Play Space
- Playing Field
- Public Park Or Garden
- Tennis Court

Detail and description of these functions can be found in the [technical specification](#).

### Notes for specific Functions

#### Religious Grounds

Religious grounds will be populated in Open Greenspace where there is seen to be a significant amount of accessible greenspace. This is defined as those where there is greater than 500m<sup>2</sup> of natural surface within the Religious Ground site.

#### Stadiums

Sports stadiums and grounds which are primarily for spectating rather than participating in sports will not be included in Open Greenspace.

#### Playing Fields

Playing fields should only be included in Open Greenspace where they are used by the public at least some of the time. Playing fields such as school fields which are entirely enclosed and only for use of the school, would not be expected to be included.

### Access Type

The types of access allowed in any given Greenspace site is indicated in the Access Point Feature Type. These include;

- Motor Vehicle
- Motor Vehicle and Pedestrian
- Pedestrian

Detail on access types can be found in the [Technical Specification](#)

## Chapter 4 Data Creation

### Geometry

#### Greenspace Sites

The Greenspace site polygons are identified using topographic and textual information contained within OS large scale database. These identified Greenspace sites are then generated using the visible physical boundaries surrounding the individual sites; for example, where a fence or wall clearly surrounds a park.

#### Access Points

Most greenspaces will include access points but a limited number will not. There are certain situations in which it is not possible to capture access into a site. Where this is the case, if we are informed about and can verify additional access points, we will endeavour to include these. In open areas, such as a play area in a park, there is often no physical boundary limiting access to specific places so we do not capture a point. It may not be possible to identify the access due to the limits of data capture, such as an entrance obscured by trees. It is also possible for access points to occur within larger polygons where they indicate access to a nested polygon within.

Inclusion in this product does not guarantee public access and users should be aware of this when accessing sites.

#### Attributes

In the extraction and creation of the Open Greenspace features, attribution is generated from the detailed source data and the existing site data held.

#### Data completeness

Ordnance Survey is committed to maintaining its products to the highest levels of accuracy and currency. The initial capture of data for Open Greenspace will be completed using our existing topographic databases and aerial imagery. As such the quality of the data will be constrained to what can be achieved with this approach. For example, where an access into a site is obscured (e.g. under trees) it will not be captured. In addition, the use of our existing databases to identify the location of sites of interest means that we cannot guarantee that all relevant sites will be included in the data. However, where we are informed and can verify that a feature is missing or inaccurately depicted in the dataset, we will make the necessary amendments to the dataset within 12 months of such verification.

We have processes in place to allow expert users to feed back on the product and allow us to act on potential omissions and improvements to content, subject to accuracy checks. It is anticipated this community will assist us in improving the content in the Greenspace products after full release

#### Selection of Greenspace Sites

Greenspace sites included in this product are those which the public could use for recreational activities and outside leisure. These activities include, but are by no means limited to, sports, walking, exercise, commuting and exploration.

The sites may have restricted opening times or charges which OS is unable to publish information about. Some sites may charge for use of the facility or area, or involve car park charges. Inclusion in this product does not guarantee public access and users should be aware of this when accessing sites.

Some criteria have been applied in the creation of this product to ensure the most appropriate sites are included.

Sites are only included where a definable boundary for an individual site can be depicted and where the entirety of the defined site is a green space. Large rural areas such as National Parks do not fall within this definition.

## Chapter 5 Product Supply

### Available Formats

Open Greenspace will be supplied in GML3.2.1 and ESRI® Shapefile.

### Coverage

Open Greenspace covers all of England, Wales and Scotland.

### Update Cycle

Open Greenspace will be updated every 6 months.

### Supply Mechanism

Open Greenspace will be available for download on the [OS Open Data Portal](#). It can be downloaded as a National Set covering Great Britain, or as our standard 100km<sup>2</sup> tiles.

It will also be available as part of [OS Maps](#) consumer web service.

Within the 100km<sup>2</sup> tiles, where features cross the tile edge, the whole of that feature will be included. Therefore customers taking adjacent tiles will find some features appearing in both tiles where they cross the boundary. It may be necessary to deduplicate this data, depending on its application.

The data will be available as a full supply only (no COU will be available).

**Customer Service Centre, Ordnance Survey  
Adanac Drive, Southampton, United Kingdom, SO16 0AS**

+44 (0)3456 050505 (General enquiries)  
+44 (0)3456 050504 (Welsh helpline)  
+44 (0)2380 056146 (Textphone)

**[customerservices@os.uk](mailto:customerservices@os.uk)  
[www.os.uk](http://www.os.uk)**